# **GRAS PR004** AutoArray AES Configuration



The GRAS PR0004 AutoArray is a rugged, sixmicrophone array purpose-built for accurate and repeatable in-cabin acoustic measurements. It features an "AES" configuration, aligned with the AES TC-AA (Audio Engineering Society Technical Committee on Automotive Audio) guidelines. This array enables highresolution spatial analysis of vehicle interiors, giving automotive OEMs and audio engineers the tools to quantify and enhance cabin soundscapes. *Microphones are sold separately* 

GRAS Sound & Vibration Skovlytoften 33, 2840 Holte, Denmark www.grasacoustics.com



## Technology

#### Introduction

Today's drivers expect more than just horsepower—they demand a quiet ride, free from intrusive noise, and an immersive audio experience. Whether it's an internal combustion engine vehicle or an EV, in-cabin acoustic quality has become a key differentiator in automotive design. From benchmarking sound systems to tuning them for optimal listening and minimizing unwanted noise for improved NVH performance, precise and repeatable measurements are essential.

With the GRAS AutoArray, automotive manufacturers gain the precision, consistency, and ease of use needed to deliver world-class in-cabin audio experiences.

The AutoArrays are engineered to deliver quick, reliable, and repeatable in-cabin acoustic test results. Their structural design, seat-mount integration, and positioning tools are purpose-built to streamline setup and ensure consistent microphone placement.

Each array features six 1/4" measurement microphones arranged to emulate the spatial region around a listener's head. The microphones are positioned in three ear-like pairs, simulating the ears of individuals of varying heights. This configuration represents not just fixed listener locations but also the area in which a listener might naturally move their head—critical for capturing an accurate incabin sound field.



#### **Typical Applications and Use**


Designed specifically for in-cabin acoustic testing, the GRAS AutoArrays are ideal for:

- Audio system performance testing and characterization
- Audio system tuning and optimization
- Cabin acoustic benchmarking and comparison
- Sound field mapping and analysis
- In-cabin NVH (Noise, Vibration & Harshness) measurements

They can also be deployed in any acoustic testing scenario that benefits from multi-microphone array setups.



## Technology



#### **Key Features**

• **Test-ready configuration:** Conforms to AES TC-AA in-car acoustic measurement recommendations.

Optimized for 1/4" microphones

• **Single-cable convenience:** Internally wired, all six microphone signals are routed through a single 7-pin LEMO connector, reducing clutter and setup time.

• **Flexible pitch adjustment:** Fix the angle at 30° or adjust freely; includes a magnetic inclinometer for precise angle measurement

• **Precision positioning tools:** Height-adjustable seat mount, integrated ruler system, ball levels, and a base-mounted ball joint enable exact placement and repeatability.

Durable, lab-grade construction

#### Compatibility

The AutoArray is compatible with any 1/4" CCP microphone featuring a microdot connector but optimized for use with GRAS high-sensitivity models like the **46BL-1 pressure microphone** and the **46BC multifield microphone**, which offer ideal frequency responses for complex cabin environments. Other GRAS microphones that can be used with AutoArray are the GRAS 46BD 1/4" CCP pressure microphone and 46BE 1/4" CCP free-field microphone.

For more comprehensive information regarding microphone compatibility, check the AutoArray product manual.

The AutoArray is delivered with a 3m 7-pin LEMO to 7-pin extension cable and a 7-pin LEMO to 6x BNC splitter cable. Therefore, the array can be connected directly to any signal conditioner, analyzer or data acquisition system (DAQ) with CCP/ICP/IEPE microphone power supply that has BNC inputs.

Otherwise, it can also be connected to a sound card or audio interface with XLR inputs with +48V Phantom Power to drive the GRAS CCP microphones on the array. To do this, the 6x BNC connectors from the splitter cable need to be connected to the XLR inputs using 6x GRAS AG0003 adapters.

#### **Quality & Warranty**

GRAS products are made of components from our proven standard portfolio and are all manufactured with high-quality materials and branded parts that were chosen and processed to ensure life-long stability and robustness.

Thanks to the high-quality materials and assembly, our warranty against defective materials and workmanship is **2 years**.

*Exceptions:* Even though this PR0004 AutoArray is meant to be used with measurement microphones, these are sold separately. GRAS measurement microphones like 46BC, 46BL-1, 46BE and 46BD are included in GRAS' regular measurement microphone warranty scheme of 5 years.

The warranty for cables is 6 months

••••

# Specifications


Page: 4

Number of channels		6
Microphone compatibility		1/4" CCP (WS3F/P/Multi- -field)
+48V Phantom Power Compatible		Yes (with AG0003 adapter)
Microphone Connector type		Microdot 10-32
Array connector type		7-pin LEMO 1B
EMC tested		Yes
Weight (Array structure only w/Adjustable angle adapter. No seat mount. No mics)	g / oz	479 / 17
Weight (Seat mount only)	g / oz	1478 / 52
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes
Temperature operation	°C / F	-30 to 85 / -22 to 185
Spread angle of the leg connections	° (deg.)	22, 52, 82
Pole's ball joint pan rotation	° (deg.)	360
Adjustable angle adapter rotation angles	° (deg.)	±90



## Dimensions


Dimensions in mm






Page: 5

## Dimensions








Date 30-07-2025.

# Dimensions





### **Included items**

-	6-mic array structure Cross configura- tion
GRAS AL0036	AutoArray seat mount (w/ AL0039 Ball level attachment)
GRAS AL0037	Adjustable angle adapter for AutoArray
GRAS AL0038	Inclinometer
GRAS AA0008	3 m LEMO 7-pin – LEMO 7-pin exten- sion cable
GRAS AC0026	AutoArray splitter cable to 6x BNC
GRAS RA0574	Microphone protection foam for Au- toArray (6-pack)

Microphones are not included and should be purchased separately.

### **Optional items**

GRAS 46BC	1/4" CCP Multifield Microphone Set, High Sensitivity	
GRAS 46BL-1	1/4" CCP Pressure Microphone Set, High Sensitivity	
GRAS 46BE	1/4" CCP Free-field Standard Micro- phone Set	
GRAS 46BD	1/4" CCP Pressure Standard Micro- phone Set	
GRAS 42AG	Multifunction Sound Calibrator	
GRAS KM0112	Flight case for AutoArray	
GRAS AA0011	1 m LEMO 7-pin – LEMO 7-pin extension cable	
GRAS AA0008	3 m LEMO 7-pin – LEMO 7-pin exten- sion cable	
GRAS AA0009	10 m LEMO 7-pin – LEMO 7-pin exten- sion cable	
GRAS AA0012	30m LEMO 7-pin – LEMO 7-pin exten- sion cable	

# Ordering info

GRAS AG0003	Adapter for CCP preamp. to 48V phan- tom power (BNC to XLR)
GRAS AL0039	Ball level attachment for AL0036
GRAS SW0046	USB with microphone calibration data (to use when ordering microphones)

GRAS Sound & Vibration reserves the right to change specifications and accessories without notice.

. . . . . . . . . . .



•

. . . . . . . . . . . .

# **GRAS Worldwide**

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK GRAS SOUND & VIBRATION Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.GRASacoustics.com gras@grasacoustics.com

GRAS SOUND & VIBRATION 9290 SW Nimbus Avenue Beaverton, OR 97008 Tel: 503-627-0832 Toll Free: 800-231-7350 www.GRASacoustics.com sales-usa@grasacoustics.com

GRAS SOUND & VIBRATION Unit 115, Gibson House, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Tel: +44 (0) 7762 584 202 www.GRASacoustics.com sales-uk@grasacoustics.com

#### CHINA

GRAS SOUND & VIBRATION Room 315, RuiBo Center(T1) Lane683, Shenhong Rd, Minhang District, Shanghai, China, 201107 Tel: +86 21 64203370 www.GRASacoustics.cn cnsales@grasacoustics.com



#### About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require. GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com



grasacoustics.com