



Acoustic Sensors for NVH Testing



NVH Challenges



Valid data and efficient test methods have always been important in acoustic noise, vibration and harshness (NVH) testing in the automotive industry.


Today, this need is ever increasing as a reflection of the rapidly changing automotive market. OEMs are constantly pushing for shorter time to market, and together with the shift towards non-combustion engine vehicles – especially electric and hybrid – the demand for higher testing efficiency, improved test methods, and more reliable data has never been greater.

In essence, NVH departments and facilities are experiencing new testing challenges that call for new, informed and clever trade-off decisions.

As the world leader in developing cutting-edge acoustic sensors, GRAS provides new and improved microphones for more efficient and reliable acoustic NVH testing.

This includes a rugged and very versatile standard microphone for a wide variety of acoustic NVH applications as well as highly specialized microphones for very specific applications.

Reliable and repeatable measurements the first time, every time!




NVH Solutions from GRAS

○ CHALLENGES / ✓ SOLUTIONS

ENGINE NOISE TESTING

- Engine noise testing includes acoustic transfer function (ATF) determination. Most widely used is the reciprocity method with a high number of free-field, standard ½" microphones fixed to the engine with glue, adhesive tape or mounted on a tripod. This method is cumbersome and very time-consuming, and because the setup is difficult to reproduce, the accuracy of the results is limited.
- ✓ GRAS' solution is the 147AX microphone (patent pending) optimized to withstand the challenging conditions found in an engine bay. The new form factor and unique mounting system allow measurements in confined spaces and enable easy mounting. With the microphone, the ATF method can be improved significantly to ensure much greater repeatability and very fast test setup. Moreover, the same microphone can be used in the same test setup for both cold engine and on-road testing.



147AX CCP Rugged Pressure Microphone

BRAKE NOISE ON-ROAD TESTING

- Due to the rough environment, recording of brake noise in the wheelhouse during on-road testing is very demanding. This generally leads to the use of substandard microphones with limited or even unknown acoustic performance. Furthermore, this often requires custom-made and troublesome protection of the microphone.
- ✓ GRAS' solution is the 147EB rugged measurement microphone, which has been achieved by combining the basic ruggedness of the new generation of GRAS automotive microphones for NVH with additional protection of the diaphragm. It can withstand many thousands of miles of driving in all weather conditions. And it can provide valid acoustic data that it has not been possible to record before.



147EB CCP X-Rugged Microphone Set


POWERTRAIN NOISE / EXHAUST NOISE / ROAD NOISE / PASS-BY NOISE / BRAKE NOISE DYNAMOMETER TESTING

- A common challenge to all acoustic NVH testing is the need for valid data. Typically, standard ½" microphones are found in most test setups today. However, the setups for these applications face serious challenges such as high temperatures, drops, shocks, dust, oil and water.
- ✓ GRAS' solution is the 146AE – the world's first CCP free-field measurement microphone set specifically designed to operate reliably in many different harsh NVH test setups. By introducing a rugged measurement microphone, designed to withstand harsh environments and which is fully compatible with the current microphones used today, it is possible to use the same sensor in a large number of different test setups. The 146AE is a new standard, which provides valid acoustic data and ruggedness in one package.



146AE ½" CCP Free-field Microphone Set

GRAS NVH Application Overview



Acoustic Sensors for NVH

Brake Noise

147EB. A rugged microphone with extra protection for on-road testing in all climate zones and weather conditions.

146AE is the perfect choice for test bench testing.

Engine Noise

147AX. A rugged and versatile surface microphone with an ingenious mounting system for repeatable cold and hot engine testing – also on the proving ground. **146AE** can be used in-vehicle as a reference microphone.

Powertrain Noise

146AE. A rugged and versatile free-field microphone thoroughly protected for maximum performance under conditions with shock, dirt and moisture. **147AX** may also be used for hard to reach positions. Both **146AE** and **147AX** are suitable for powertrain noise testing optionally in combination with **40HL**.

Buzz, Squeak and Rattle Noise

146AE. A highly versatile microphone for almost all acoustic NVH testing. The natural first choice for efficient buzz, squeak and rattle testing.

Exhaust Noise

40SC is a probe microphone for measurements directly in the exhaust flow. **146AE** is the first choice for most other high-temperature applications.

Wind Noise

48LX-1 and **48LX-4** or **48LX-8.** Our suite of Ultra-thin Precision (UTP) microphones ideal for measurements in boundary layers because of their low profile. **40LA** and **40LS** surface microphones may also be used for investigation of turbulence and wind-induced noise.

Road and Tire Noise

147AX. Suitable for ATF testing thanks to its small size and the possibility of mounting it in confined spaces and challenging environments. **146AE** can be used for in-vehicle measurements.

Vehicle Interior Noise

147AX and **146AE.** Both versatile microphones and the perfect combination of precise, repeatable test results in the cabin on one hand and driver seat measurements on the other. A low-noise microphone like the **47HC** is another option.

Pass-by Noise

146AE. The perfect choice for pass-by noise testing according to ISO 362-3:2016 due to its weather resistant properties.



GRAS Worldwide

Subsidiaries and distributors in
more than 40 countries

HEAD OFFICE, DENMARK
GRAS SOUND & VIBRATION
Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.GRASacoustics.com
gras@grasacoustics.com

USA
GRAS SOUND & VIBRATION
5750 S.W. Arctic Drive
Beaverton, OR 97005
Tel: 503-627-0832
Toll Free: 800-231-7350
www.GRASacoustics.com
sales-usa@grasacoustics.com

UK
GRAS SOUND & VIBRATION
Unit 115, Gibson House,
Ermine Business Park, Huntingdon,
Cambridgeshire, PE29 6XU
Tel: +44 (0) 7762 584 202
www.GRASacoustics.com
sales-uk@grasacoustics.com

CHINA
GRAS SOUND & VIBRATION
Room 303, Building T6
Hongqiaohui, 990, Shenchang Road
Minhang District, Shanghai
China. 201106
Tel: +86 21 64203370
www.GRASacoustics.cn
cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a leading manufacturer of state-of-the-art measurement microphones. We serve R&D, production engineering, QA and production units within aerospace, automotive, audiology and consumer electronics with strict requirements for microphone accuracy and repeatability. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect and trust.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

www.GRASacoustics.com

GRAS
An Axiometrix Solutions Brand