

GRAS 43AC-S1

CCP 仿真耳治具，符合 IEC 60318-4 标准



连接方式 0 V/CCP
容积 1260 mm³ @ 500 Hz
动态范围 25 dB(A) - 150 dB
ANSI 标准 S3.7
IEC 标准 : 60318-4

GRAS 43AC-S1 CCP 仿真耳治具符合 IEC 60318-4 标准，带 TEDS 是一个完整的测试夹具，用于对通过导管和耳模等插入物连接到耳朵上的耳机进行声学测量。

GRAS 43AC-S1 是一款完整的测试治具，用于对通过耳塞（如导管和耳模）与人耳耦合的耳机进行声学测试，并符合以下国际要求：

- IEC 60318-4 用于测量通过耳塞与人耳耦合的耳机的堵耳式仿真耳。

43AC-S1 包含：

- [GRAS RA0045-S1](#) 仿真耳
- [GRAS 40AO](#) 1/2 预极化压力场传声器
- [GRAS 26CB](#) 1/4 CCP 标准前置放大器，带 Microdot 接头
- [GRAS RA0001](#) 直角适配器
- [GRAS RA0052](#) 测试治具
- GRAS AA0070 3m Microdot-BNC 线材

该测试治具配有一个可调节的弹簧加载臂，可对待测对象施加可变压力。

点击 [GRAS RA0045-S1](#) 查看关于 RA0045-S1 仿真耳的更多信息。

提供外极化版本：[GRAS 43AC](#)

TEDS 兼容性

43AC-S1 符合 IEEE 1451.4 TEDS v. 1.0 标准。如果您的测量平台支持传感器电子数据表 (TEDS) 您将能够读取和写入诸如属性和校准数据等信息。

Theoretical dynamic range lower limit with GRAS preamplifier	dB(A)	25
Theoretical dynamic range upper limit with GRAS CCP preamplifier	dB	150
Set sensitivity @ 250 Hz (± 2 dB)	mV/Pa	12
Set sensitivity @ 250 Hz (± 2 dB)	dB re 1V/Pa	-38.5
Coupler volume	mm ³	1260 @ 500 Hz
Resonance frequency	kHz	13.5
Temperature range, operation	°C / °F	- 30 to 60 / -22 to 140
Temperature coefficient @250 Hz	dB/°C / dB/°F	- 0.01 / -0.006
Humidity range non condensing	% RH	0 to 75
ANSI standard		S3.7
IEC standard		60318-4 (former 60711)
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes
Connector type		Microdot 10/32
Weight	g / oz	1.55 / 54.675

选配

[GRAS RA0196](#)

高张力弹簧 (两件套)

GRAS Sound & Vibration 保留更改规格和配件的权利，恕不另行通知。

GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION
Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.GRASacoustics.com
gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION
9290 SW Nimbus Avenue
Beaverton, OR 97008
Tel: 503-627-0832
Toll Free: 800-231-7350
www.GRASacoustics.com
sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION
Unit 115, Gibson House,
Ermine Business Park, Huntingdon,
Cambridgeshire, PE29 6XU
Tel: +44 (0)7762 584 202
www.GRASacoustics.com
sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION
Room 502, Building T1,
No.1398 Ali Center
Shenchang Road,
Minhang District,
Shanghai, China, 201107
Tel: +86 21 400-888-9826
www.GRASacoustics.cn
cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones to industries where acoustic measuring accuracy and repeatability is of utmost importance in R&D, QA and production. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, and consumer electronics. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect and trust.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.GRASacoustics.com

www.GRASacoustics.com

GRAS
An Axiometrix Solutions Brand