
67HB 2 LEMO 67HB LOW-NOISE





10 Hz - 16 kHz 10 Hz - 16 kHz 850 mV/Pa 4716 mm 2283 mm GRAS GRAS DUT



□□ □□ □□ □□ □□ GRAS

GRAS 67HB-07 2 LEMO 4 4 + 4 ISO 3746:2011 B1/ANSI S12.56

5 6

- 1x
- 4x GRAS 40HL 1/2" LEMO

GRAS 67HB-08 2 LEMO 10 10 + 10 ISO 3744:2010 B2/ANSI S12.54

- 1x
- 10x GRAS 40HL 1/2" LEMO

GRAS 67HB-09 2 LEMO 20 20 ISO 3745:2012 E2/ANSI S12.55

- 1x
- 20x GRAS 40HL 1/2" LEMO

(DUT) IT (DUT)

 $\Pi\Pi$

4 10 20 CCP LEMO LEMO 3

CCP 7 LEMO IEEE 1451.4

(TEDS)

GRAS 114 dB 94 dB



Specifications

Frequency range (±2 dB)	Hz	10 to 16 k
Dynamic range lower limit with GRAS preamplifier	dB(A)	6.5
Dynamic range upper limit with GRAS preamplifier @ +28 V / ±14 V power supply	dB	110
Set sensitivity @ 250 Hz (±2 dB)	mV/Pa	850
IEC 61094-4 Compliance		WS2F
ANSI standard		S12.56
Standard		ISO 3746:2012
Weight	g / oz	15,000 / 529.1



Ordering info

GRAS 67HB-07	2 LEMO	4
GRAS 67HB-08	2 LEMO	10
GRAS 67HB-09	2 LEMO	20

-	2
-	1
GRAS 40HL	1/2" LEMO 1
GRAS AA0009	10 LEMO

GRAS RA0277	2
GRAS 42AP	114 dB
GRAS RA0090	94 dB

GRAS Sound & Vibration



GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.GRASacoustics.com gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION

9290 SW Nimbus Avenue Beaverton, OR 97008 Tel: 503-627-0832 Toll Free: 800-231-7350 www.GRASacoustics.com sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION

Unit 115, Gibson House, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Tel: +44 (0) 7762 584 202 www.GRASacoustics.com sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION

Room 315, RuiBo Center(T1) Lane683, Shenhong Rd, Minhang District, Shanghai, China, 201107 Tel: +86 21 64203370 www.GRASacoustics.cn cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

GRAS

An Axiometrix Solutions Brand

grasacoustics.com