GRAS 43BB

-4





1260 mm³ @ 500 Hz 10.5 dB(A) - 113 dB IEC 60318-4 43BB-4 43BB-4 43BB-4


GRAS 12HF

IEC 60318-4 43BB



GRAS 43BB-4


43BB 8 40 cm GRAS 45CB




43BB-4 ANSI S12.42 GRAS <u>45CB</u>-S4

43BB <u>here</u>

Connector type		3 m 7-pin LEMO
Polarization/Connection		0 V / CCP
Theoretical dynamic range lower limit with GRAS preamplifier	dB(A)	10.5
Theoretical dynamic range upper limit with GRAS preamplifier @ +28 V / ±14 V power supply	dB	113
Coupler volume	mm³	1260 @ 500 Hz
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes





10 kHz 60318-4


GRAS Sound & Vibration



Dimensions

Dimensions in mm







Ordering info

GRAS RA0234

GRAS 40AH 1/2"

<u>GRAS 26HG</u> 1/4" , 40cm

GRAS 26HT 40HT

GRAS 12HF

<u>GRAS 42AA</u> ,1

<u>GRAS 42AP</u> , 0

<u>GRAS RA0090</u> 94 dB

GRAS RA0237 KEMAR

GRAS RA0172

<u>GRAS AA0046</u> 3 m LEM0 7 - LEM0 7 ,

<u>GRAS AA0047</u> 10 m LEM0 7 - LEM0 7 ,

GRAS Sound & Vibration



GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.GRASacoustics.com gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION

9290 SW Nimbus Avenue Beaverton, OR 97008 Tel: 503-627-0832 Toll Free: 800-231-7350 www.GRASacoustics.com sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION

Unit 115, Gibson House, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Tel: +44 (0) 7762 584 202 www.GRASacoustics.com sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION

Room 315, RuiBo Center(T1) Lane683, Shenhong Rd, Minhang District, Shanghai, China, 201107 Tel: +86 21 64203370 www.GRASacoustics.cn cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

GRAS

An Axiometrix Solutions Brand

grasacoustics.com