GRAS 43BB





1260 mm³ @ 500 Hz 10.5 dB(A) - 113 dB IEC 60318-4 43BB 43BB

GRAS 12HF

IEC 60318-4



Technology

43BB 26HT 20 dB 26HT 12HF 1

GRAS 43BB

- 10.5 dB(A) - GRAS 40AG

1/2" IEC 60318-4 (711) 24.2 dB(A) GRAS --

IEC 60318-4 GRAS 40HT

GRAS

43BB

THD Rub & buzz

43BB KEMAR 45BB 45BC GRAS 45CA GRAS

26HG 1/4" GRAS 43BB

KEMAR GRAS 43BB-1 43BB

43BB KEMAR GRAS RA0237
KEMAR GRAS 45CA GRAS RA0172

5

43BB 40HT IEC 60318-4

(711) 40AH

40HT 40AH ½ 26HG ¼

26HG GRAS 26AC ¼ 3 40G

7-pin LEMO 26HT

GR0010

12HF 1


GRAS RA0045 IEC 60318-4


43BB 10 kHz 60318-4 10 kHz

13.5 kHz

Specifications

Connector type		3 m 7-pin LEMO
Polarization/Connection		0 V / CCP
Theoretical dynamic range lower limit with GRAS preamplifier	dB(A)	10.5
Theoretical dynamic range upper limit with GRAS preamplifier @ +28 V / ±14 V power supply	dB	113
Coupler volume	mm³	1260 @ 500 Hz
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes






60318-4 10 kHz


GRAS Sound & Vibration



Dimensions

Dimensions in mm





GS0627 43BB



Ordering info

GRAS RA0234 Low-noise Ear Simulator

GRAS 40AH 1/2" Ext. Polarized Pressure Microphone, High Sensitivity

GRAS 26HG 1/4" Preamplifier with 3 m Integrated Cable

GRAS 26HT Gain and Filter Unit for 40HT

GRAS 12HF 1-Channel Power Module for Low-noise Systems

GRAS 42AA Pistonphone, Class 1

GRAS 42AP Intelligent Pistonphone, Class 0

GRAS RA0090 94 dB Pistonphone Coupler

GRAS RA0237 Straight Ear Canal Extension Kit for KEMAR

GRAS RA0172 Pinna Holder Kit

GRAS AA0046 3 m LEMO 7-pin - LEMO 7-pin Cable for Low-noise measuring system

GRAS AA0047 10 m LEM0 7-pin - LEM0 7-pin Cable for Low-noise measuring system

GRAS Sound & Vibration



GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.GRASacoustics.com gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION

9290 SW Nimbus Avenue Beaverton, OR 97008 Tel: 503-627-0832 Toll Free: 800-231-7350 www.GRASacoustics.com sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION

Unit 115, Gibson House, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Tel: +44 (0) 7762 584 202 www.GRASacoustics.com sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION

Room 315, RuiBo Center(T1) Lane683, Shenhong Rd, Minhang District, Shanghai, China, 201107 Tel: +86 21 64203370 www.GRASacoustics.cn cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

GRAS

An Axiometrix Solutions Brand

grasacoustics.com