

GRAS 43BB



1260 mm³ @ 500 Hz
10.5 dB(A) - 113 dB
IEC 60318-4

43BB

43BB

GRAS 12HF

IEC 60318-4

43BB 26HT 20 dB 26HT 12HF 1

GRAS 43BB

-	10.5 dB(A) -	GRAS 40AG		
1/2"	IEC 60318-4 (711)	24.2 dB(A)	GRAS	--
	IEC 60318-4	GRAS 40HT		

43BB		GRAS
------	--	------

THD Rub & buzz

43BB	KEMAR 45BB	45BC	GRAS 45CA	GRAS
	26HG 1/4"		GRAS	43BB
KEMAR	GRAS 43BB-1		43BB	
43BB	KEMAR		GRAS RA0237	
KEMAR	GRAS 45CA	GRAS RA0172		5

43BB	40HT		IEC 60318-4
(711)	40AH		

40HT	40AH ½		26HG ¼
26HG	GRAS 26AC ¼	3	40G
	7-pin LEMO		26HT


GR0010

12HF 1


GRAS RA0045 IEC 60318-4

43BB	10 kHz	60318-4	10 kHz
	13.5 kHz		

Connector type		3 m 7-pin LEMO
Polarization/Connection		0 V / CCP
Theoretical dynamic range lower limit with GRAS preamplifier	dB(A)	10.5
Theoretical dynamic range upper limit with GRAS preamplifier @ +28 V / ± 14 V power supply	dB	113
Coupler volume	mm ³	1260 @ 500 Hz
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes





Typical response for 43BB



60318-4 10 kHz

GRAS Sound & Vibration

Dimensions in mm



GS0627
43BB



GRAS RA0234	Low-noise Ear Simulator
GRAS 40AH	1/2" Ext. Polarized Pressure Microphone, High Sensitivity
<u>GRAS 26HG</u>	1/4" Preamplifier with 3 m Integrated Cable
GRAS 26HT	Gain and Filter Unit for 40HT
<u>GRAS 12HF</u>	1-Channel Power Module for Low-noise Systems



<u>GRAS 42AA</u>	Pistonphone, Class 1
<u>GRAS 42AP</u>	Intelligent Pistonphone, Class 0
<u>GRAS RA0090</u>	94 dB Pistonphone Coupler
GRAS RA0237	Straight Ear Canal Extension Kit for KEMAR
<u>GRAS RA0172</u>	Pinna Holder Kit
<u>GRAS AA0046</u>	3 m LEMO 7-pin - LEMO 7-pin Cable for Low-noise measuring system
<u>GRAS AA0047</u>	10 m LEMO 7-pin - LEMO 7-pin Cable for Low-noise measuring system

GRAS Sound & Vibration

GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION
Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.GRASacoustics.com
gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION
9290 SW Nimbus Avenue
Beaverton, OR 97008
Tel: 503-627-0832
Toll Free: 800-231-7350
www.GRASacoustics.com
sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION
Unit 115, Gibson House,
Ermine Business Park, Huntingdon,
Cambridgeshire, PE29 6XU
Tel: +44 (0) 7762 584 202
www.GRASacoustics.com
sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION
Room 315, RuiBo Center(T1)
Lane683, Shenhong Rd,
Minhang District,
Shanghai, China, 201107
Tel: +86 21 64203370
www.GRASacoustics.cn
cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require. GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

grasacoustics.com

GRAS
An Axiometrix Solutions Brand