GRAS 45CA





ISO 4869-3 IEC 60318-1 60318-4 GRAS 45CA 60318-4 45CB. ISO 4869-3 ANSI/ASA S12.42 IEC60318-1 GRAS



Technology

GRAS 45CA	45CA-4 / IEC 60318-1 CCP 45CA-4 40A0 1/2" RA0039 IEC 60318-1 RA0039
 KEMAR	45CA-5 / IEC 60318-4 LEMO 45CA-5 RA0045 IEC 60318-4
45CA ISO 4869-3 IEC 60318-1 IEC 60318-4	45CA-6 / IEC 60318-4 CCP 45CA-6 RA0045-S1 IEC 60318-4
45CA KEMAR 45CA 45CA GRAS 42AP GRAS 42AA	45CA-7 / IEC 60318-4 LEMO 45CA-7 RA0045 IEC 60318-4
TEDS CCP	45CA-8 / IEC 60318-4 CCP 45CA-8 RA0045-S1 IEC 60318-4
00000000 GRAS	45CA-9 / LEMO 45CA-9 RA0401 20 kHz IEC 60318-4
45CA-1 / ISO 4869-31" .LEMO 45CA-1	45CA-10 / CCP 45CA-10 RA0402 20 kHz IEC 60318-4
45CA-2	45CA-11 / LEMO 45CA-11 RA0403 50 kHz IEC 60318-4
45CA-3 40AG 1/2" RA0039 IEC 60318-1 RA0039	45CA-12 / CCP 45CA-12 RA0404 50 kHz IEC 60318-4



Technology

45CA-13 / 45CA-13 43BB IEC 60318-4

GRAS 42AG GRAS

<u>42AP</u>

GRAS 45CA 5



Specifications

IEC standard		Dep. on conf.
ITU-T recommondations		P.380
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes
Weight	g / oz	11.6 k / 409.18
45CA-1 and 45CA-2		
Self Insertion Loss, measured with closed ear simulators	> 50 dB	80 - 250 Hz
Self Insertion Loss, measured with closed ear simulators	> 65 dB	350 - 4000 hz
Self Insertion Loss, measured with closed ear simulators	> 55 dB	5000 - 20000 Hz
Specs for the GRAS 40EN 1" Externally Polarized Pressure Microphone can be found here.		
Specs for the GRAS 40AD 1/2" Prepolarized Pressure Microphone can be found here .		
45CA-3 and 45CA-4		
GRAS RA0039 Ear Simulator	Specs can be found here:	www.gras.dk/RA0039
GRAS 40AG 1/2" Externally Polarized Pressure Microphone	Specs can be found here:	www.gras.dk/40AG
GRAS 40A0 1/2" Prepolarized Pressure Microphone	Specs can be found here:	www.gras.dk/40A0
45CA-3 and 45CA-4		
GRAS RA0039 Ear Simulator	Specs can be found here:	www.gras.dk/RA0039
GRAS 40AG 1/2" Externally Polarized Pressure Microphone	Specs can be found here:	www.gras.dk/40AG
GRAS 40A0 1/2" Prepolarized Pressure Microphone	Specs can be found here:	www.gras.dk/40A0
45CA-5 to 45CA-8		
GRAS RA0045 Ear Simulator	Specs can be found here:	www.gras.dk/RA0045
GRAS RA0045-S1 Ear Simulator	Specs can be found here:	www.gras.dk/RA0045-s1
45CA-9 to 45CA-10		
GRAS RA0401 High-Frequency Ear Simulator Externally Polarized	Specs can be found here:	www.gras.dk/RA0401



Specifications

GRAS RA0402 High-Frequency Ear Simulator Prepolarized	Specs can be found here:	www.gras.dk/RA0402
45CA-11 to 45CA-12		
GRAS RA0403 Hi-Res Ear Simulator Externally Polarized	Specs can be found here:	www.grasacoustics.com/ra0403
GRAS RA0404 Hi-Res Ear Simulator Prepolarized	Specs can be found here:	www.grasacoustics.com/ra0404
45CA-13		
GRAS 43BB Ear Simulator	Specs can be found here:	www.grasacoustics.com/43bb

GRAS Sound & Vibration



□ GRAS 45CA □ □ □

Cover Plate, 2 pcs
Insert
Acoustic Cup (for acoustic isolation testing)
1" Acoustic Plug
Foam plug for leakage sealing (2 pcs)
7 ml Silicon grease for leakage sealing
Allen Key, 6 mm
Allen Key, 2.5 mm
Allen Key, 2 mm
Allen Key, 1.5

12 45CA

GRAS 40EN	1" Ext. Polarized Pressure Microphone (2 pcs)
GRAS RA0017	Adapter for 1" microphone and 1/2" preamplifier (2 pcs)
GRAS RA0003	Adapter for 1/2" microphone and 1/4" preamplifier (2 pcs)
GRAS 26AS	1/4" Standard Preamplifier with 3 m integrated cable, very short (2 pcs)

GRAS 40AD	1/2" Prepolarized Pressure Microphone, High Sensitivity (2 pcs)
GRAS RA0177	1" Microphone protection grid (2 pcs)
GRAS RA0058	1/2" to 1" Microphone Adapter (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter (2 pcs)
GRAS 26CB	1/4" CCP Preamplifier with Microdot connector, very short (2 pcs)



GRAS AA0070	3 m Microdot - BNC Cable, High Temp

GRAS RA0039	Ear Simulator according to IEC 60318-1 (2 pcs)
GRAS 40AG	1/2" Ext. Polarized Pressure Microphone (2 pcs)
<u>GRAS RA0176</u>	1/2" to 1" Adapter for RA0039 (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter (2 pcs)
GRAS 26AS	1/4" Standard Preamplifier with 3 m integrated cable, very short (2 pcs)

GRAS RA0039	Ear Simulator according to IEC 60318-1 (2 pcs)
<u>GRAS 40A0</u>	1/2" Prepolarized Pressure Microphone (2 pcs)
GRAS RA0176	1/2"-1" Adapter for RA0039 (2 pcs
GRAS GR0010	1/2" to 1/4" Adapter (2 pcs)
GRAS 26CB	1/4" CCP Preamplifier with Microdot connector, very short (2 pcs)
GRAS AA0070	3 m Microdot - BNC Cable, High Temp

<u>GRAS KB0070</u>	Large Right KEMAR Pinna, 55 Shore 00
GRAS KB0071	Large Left KEMAR Pinna, 55 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS GR1069	Ear Canal Extension
GRAS RA0045	Externally Polarized Ear Simulator according to IEC 60318-4 (60711) (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter (2 pcs)
GRAS 26AS	1/4" Standard Preamplifier with 3 m integrated cable, very short (2 pcs)



GRAS KB0070	Large Right KEMAR Pinna, 55 Shore 00
GRAS KB0071	Large Left KEMAR Pinna, 55 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS GR1069	Ear Canal Extension
GRAS RA0045- S1	Prepolarized Ear Simulator according to IEC 60318-4 (60711) (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter (2 pcs)
GRAS 26CB	1/4" CCP Preamplifier with Microdot connector, very short (2 pcs)
GRAS AA0070	3 m Microdot - BNC Cable, High Temp (2 pcs)

<u>GRAS KB5010</u>	Large Right Anthropometric KEMAR Pinna 35 Shore 00
<u>GRAS KB5011</u>	Large Left Anthropometric KEMAR Pinna 35 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS RA0045	Externally Polarized Ear Simulator according to IEC 60318-4 (60711) (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter
GRAS 26AS	1/4" Standard Preamplifier with 3 m integrated cable, very short (2 pcs)
GRAS GR0408	Exterior Ear Canal (for calibration)
GRAS GR0409	Union Nut (for calibration)

<u>GRAS KB5010</u>	Large Right Anthropometric KEMAR Pinna 35 Shore 00
GRAS KB5011	Large Left Anthropometric KEMAR Pinna 35 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS RA0045- S1	Prepolarized Ear Simulator according to IEC 60318-4 (60711) (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter
GRAS 26CB	1/4" CCP Preamplifier with Microdot connector, very short (2 pcs)
GRAS AA0070	3 m Microdot - BNC Cable, High Temp (2 pcs)



GRAS GR0408	Exterior Ear Canal (for calibration)
GRAS GR0409	Union Nut (for calibration)

<u>GRAS KB5010</u>	Large Right Anthropometric KEMAR Pinna 35 Shore 00
<u>GRAS KB5011</u>	Large Left Anthropometric KEMAR Pinna 35 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS RA0401	Externally Polarized High-Frequency Ear Simulator (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter
GRAS 26AS	1/4" Standard Preamplifier with 3 m integrated cable, very short (2 pcs)
GRAS GR0408	Exterior Ear Canal (for calibration)
GRAS GR0409	Union Nut (for calibration)

<u>GRAS KB5010</u>	Large Right Anthropometric KEMAR Pinna 35 Shore 00
GRAS KB5011	Large Left Anthropometric KEMAR Pinna 35 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS RA0402	Prepolarized High-Frequency Ear Simulator (2 pcs)
GRAS GR0010	1/2" to 1/4" Adapter
GRAS 26CB	1/4" CCP Preamplifier with Microdot connector, very short (2 pcs)
GRAS AA0070	3 m Microdot - BNC Cable, High Temp (2 pcs)
GRAS GR0408	Exterior Ear Canal (for calibration)
GRAS GR0409	Union Nut (for calibration)

<u>GRAS KB5010</u>	Large Right Anthropometric KEMAR Pinna 35 Shore 00
GRAS KB5011	Large Left Anthropometric KEMAR Pinna 35 Shore 00



GRAS GR1075	Pinna Holder Plate
GRAS RA0403	Externally Polarized Hi-Res Ear Simulator (2 pcs)
GRAS 26AS	1/4" Standard Preamplifier with 3 m integrated cable, very short (2 pcs)
GRAS GR0408	Exterior Ear Canal (for calibration)
GRAS GR0409	Union Nut (for calibration)

45CA-12 00000/0000000000000000000000CCP——000000 50 kHz 00000000

<u>GRAS KB5010</u>	Large Right Anthropometric KEMAR Pinna 35 Shore 00
GRAS KB5011	Large Left Anthropometric KEMAR Pinna 35 Shore 00
GRAS GR1075	Pinna Holder Plate
GRAS RA0404	Prepolarized Hi-Res Ear Simulator (2 pcs)
GRAS 26CS	1/4" CCP Preamplifier with Microdot connector, very short (2 pcs)
GRAS AA0070	3 m Microdot - BNC Cable, High Temp (2 pcs)
GRAS GR0408	Exterior Ear Canal (for calibration)
GRAS GR0409	Union Nut (for calibration)

□□ IEC 60318-4 □□□□□□□ KEMAR □□

<u>GRAS RA0172</u>	Pinna & Ear Simulator Mounting Kit (required to hold a pinna) Included with 45CA-5 and -6.
	Note: Contains a cover plate, ear canal extension, screws and Allen key
GRAS KB0070	KEMAR Large Right Pinna Shore 55 Hearing Protector. Included with 45CA-5 and 6.
GRAS KB0071	KEMAR Large Left Pinna Shore 55 Hearing Protector. Included with 45CA-5 and 6.
<u>GRAS KB1070</u>	KEMAR Large Right Pinna Shore 35 Hearing Protector
GRAS KB1071	KEMAR Large Left Pinna Shore 35 Hearing Protector
GRAS KB0072	KEMAR Small Right Pinna Shore 55 Hearing Protector
GRAS KB0073	KEMAR Small Left Pinna Shore 55 Hearing Protector
GRAS KB5010	KEMAR Large Right Anthropometric Pinna for 45CA, Shore 35. Included with 45CA-7 and 8



<u>GRAS KB5011</u>	KEMAR Large Left Anthropometric Pinna for 45CA, Shore 35. Included with 45CA-7 and 8
--------------------	--

| LEMO | | | | |

GRAS AA0008	3 m LEMO 7-pin - LEMO 7-pin Cable
GRAS AA0009	10 m LEM0 7-pin - LEM0 7-pin Cable

__ CCP ____

<u>GRAS AA0035</u>	3 m BNC - BNC Cable
GRAS AA0037	10 m BNC - BNC Cable
GRAS AE0074	BNC - BNC adapter

GRAS 12AQ	For all configurations (dual channel LEMO/CCP)
GRAS 12AA	For externally polarized configurations only (dual channel)

00 +15 VDC0000000 +15 VDC 000

GRAS AB0002	Mains/line power supply, 230 VAC (EU mains connector)
GRAS AB0006	Mains/line power supply, 230 VAC (UK mains connector)
GRAS AB0003	Mains/line power supply, 120 VAC (US mains connector)

GRAS 42AP	Intelligent Pistonphone, Class 0
GRAS 42AA	Pistonphone, Class 1
GRAS RA0023	Coupler for 1" microphones (Note: RA0023 is included with 42AP but optional for 42AA)
GRAS RA0287	Calibration Adapter (for in-situ verification of RA0039)
GRAS RA0157	1/2" Calibration Adapter for KEMAR Pinna (For the IEC60318-4 configuration only)
GRAS 42AG	Multifunction Sound Calibrator, Class 1



GRAS Sound & Vibration



GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.GRASacoustics.com gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION

9290 SW Nimbus Avenue Beaverton, OR 97008 Tel: 503-627-0832 Toll Free: 800-231-7350 www.GRASacoustics.com sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION

Unit 115, Gibson House, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Tel: +44 (0) 7762 584 202 www.GRASacoustics.com sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION

Room 315, RuiBo Center(T1) Lane683, Shenhong Rd, Minhang District, Shanghai, China, 201107 Tel: +86 21 64203370 www.GRASacoustics.cn cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

GRAS

An Axiometrix Solutions Brand

grasacoustics.com