

GRAS 42AG

1



94 dB 114 dB
250 Hz 1 kHz
ANSI: S1.40
IEC: 60942 class 1

GRAS 42AG
1/4 1/8

1 1/2

GRAS 42AG IEC
60942 1

250 Hz 1 kHz 94 dB 114 dB 42AG

1" 1" 1/2" 1/4" 1/8"

LR03 AAA



42AG

42AG

250 Hz 1 kHz 250 Hz 1 kHz

42AG 94 dB 114 dB 114 dB 94 dB






42AG 2

Frequency	Hz	250 (251.19 ± 0.30 Hz) or 1 kHz (1000 ± 1 Hz)
Sound pressure level	dB	94 (± 0.2 dB) or 114 (± 0.2 dB)
ANSI standard		S1.40 (2006)
IEC standard		60942 (2017)
Microphone size		1", 1/2", 1/4" and 1/8"
Distortion		Max 2%
Stabilizing time		20 seconds
Sensitivity to environmental conditions		As specified for IEC 60942 class 1 / ANSI S1.40
Temperature range, operation	°C / °F	-10 to +50/14 to 122
Relative humidity, operation		25% to 90%
Air pressure, operation		65 kPa to 108 kPa
Display type and resolution		Mono-colour OLED graphical display – 128×64 (WxH)
Temperature range		-10°C to +50°C or 14°F to 122°F
Resolution / Accuracy		0.1°C / ±2°C or 0.1°F / ±2°F
Atmospheric pressure		65 kPa to 108 kPa; Resolution 0.1kPa; Accuracy ±0.4 kPa, (for temperature above 0°C)
Relative humidity		0% to 100%; Resolution 1%; Accuracy ±4%, (for temperature above 0°C and humidity in the range 25% to 85%)
Battery type		LR03 (AAA)
Battery life	h	> 10 hours
Battery low		Automatically switching off if battery voltage too low
CE/RoHS compliant/WEEE registered		yes/yes/yes
Weight	g / oz	125

Sound pressure level	dB	94 (± 0.2 dB) or 114 (± 0.2 dB)
Size (LxWxH)		97x51.5x41 mm / 3.8x2.0x1.6 "
(23,0°C/101,325 kPa/50%)	-	20 μ Pa

GRAS Sound & Vibration





GRAS RA0297	Adapter for 1/2" microphones.
GRAS RA0049	Adapter for 1/4" microphones
GRAS RA0069	Adapter for 1/8" microphones
GRAS EL0001	Four LR6-AA alkaline cells

GRAS Sound & Vibration

GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK
GRAS SOUND & VIBRATION
Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.GRASacoustics.com
gras@grasacoustics.com

USA
GRAS SOUND & VIBRATION
9290 SW Nimbus Avenue
Beaverton, OR 97008
Tel: 503-627-0832
Toll Free: 800-231-7350
www.GRASacoustics.com
sales-usa@grasacoustics.com

UK
GRAS SOUND & VIBRATION
Unit 115, Gibson House,
Ermine Business Park, Huntingdon,
Cambridgeshire, PE29 6XU
Tel: +44 (0) 7762 584 202
www.GRASacoustics.com
sales-uk@grasacoustics.com

CHINA
GRAS SOUND & VIBRATION
Room 315, RuiBo Center(T1)
Lane683, Shenhong Rd,
Minhang District,
Shanghai, China, 201107
Tel: +86 21 64203370
www.GRASacoustics.cn
cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

grasacoustics.com

GRAS
An Axiometrix Solutions Brand