# **GRAS 43BB-1**





1260 mm³ @ 500 Hz 10.5 dB(A) - 113 dB IEC 60318-4 43BB-1 43BB-1

IEC 60318-4

43BB

GRAS 12HF 1 43BB-1



## Technology

GRAS 43BB-1

43BB 45BB KEMAR

45BC

43BB-1 <u>45BB-12 KEMAR</u> 2 LEMO

<u>45BC-12 KEMAR</u> 2 LEMO


43BB \_\_\_




# Specifications

| Connector type  |       | 3 m 7-pin LEMO |
|---|-------|----------------|
| Polarization/Connection   |       | 0 V / CCP      |
| Theoretical dynamic range lower limit with GRAS preamplifier                              | dB(A) | 10.5           |
| Theoretical dynamic range upper limit with GRAS preamplifier @ +28 V / ±14 V power supply | dB    | 113            |
| Coupler volume  | mm³   | 1260 @ 500 Hz  |
| CE/RoHS compliant/WEEE registered   |       | Yes/Yes/Yes    |

#### 43BB-1 43BB







60318-4 10 kHz

**GRAS Sound & Vibration** 



# Ordering info

### 

| GRAS RA0234 | Low-noise Ear Simulator                                   |
|-------------|---|
| GRAS 40AH   | 1/2" Ext. Polarized Pressure Microphone, High Sensitivity |
| GRAS 26HG   | 1/4" Preamplifier with 3 m Integrated Cable               |
| GRAS 26HT   | Gain and Filter Unit for 40HT                             |
| GRAS 12HF   | 1-Channel Power Module for Low-noise Systems              |

### 

| GRAS 42AA   | Pistonphone, Class 1  |
|-------------|---|
| GRAS 42AP   | Intelligent Pistonphone, Class 0                                  |
| GRAS RA0090 | 94 dB Pistonphone Coupler   |
| GRAS RA0237 | Straight Ear Canal Extension Kit for KEMAR                        |
| GRAS RA0172 | Pinna Holder Kit  |
| GRAS AA0046 | 3 m LEMO 7-pin - LEMO 7-pin Cable for Low-noise measuring system  |
| GRAS AA0047 | 10 m LEMO 7-pin - LEMO 7-pin Cable for Low-noise measuring system |

**GRAS Sound & Vibration** 



### **GRAS** Worldwide

Subsidiaries and distributors in more than 40 countries

#### **HEAD OFFICE, DENMARK**

#### **GRAS SOUND & VIBRATION**

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.GRASacoustics.com gras@grasacoustics.com

#### USA

#### **GRAS SOUND & VIBRATION**

9290 SW Nimbus Avenue Beaverton, OR 97008 Tel: 503-627-0832 Toll Free: 800-231-7350 www.GRASacoustics.com sales-usa@grasacoustics.com

#### UK

#### **GRAS SOUND & VIBRATION**

Unit 115, Gibson House, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Tel: +44 (0) 7762 584 202 www.GRASacoustics.com sales-uk@grasacoustics.com

#### **CHINA**

#### **GRAS SOUND & VIBRATION**

Room 315, RuiBo Center(T1) Lane683, Shenhong Rd, Minhang District, Shanghai, China, 201107 Tel: +86 21 64203370 www.GRASacoustics.cn cnsales@grasacoustics.com



#### **About GRAS Sound & Vibration**

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

GRAS

An Axiometrix Solutions Brand

grasacoustics.com