

GRAS 43AC-S7

CCP



0 V/CCP
1260 mm³ @ 500 Hz
44 dB(A) - 166 dB
ANSI S3.7
IEC 60318-4

TEDS GRAS 43AC-S7
kHz

50

GRAS 43AC-S7

- IEC 60318-4

43AC-S7 RA0404 50 kHz [RA0404](#)

43AC-S7


- [GRAS RA0404](#)
- [GRAS 40BD](#) 1/4 (RA0404)
- [GRAS 26CB](#) 1/4
- [GRAS RA0001](#)
- [GRAS RA0052](#)

[GRAS 43AC-S6](#)

TEDS

43AC-S7 IEEE 1451.4 TEDS v. 1.0
(TEDS)

Theoretical dynamic range lower limit with GRAS preamplifier	dB(A)	44
Theoretical dynamic range upper limit with GRAS preamplifier @ +28 V / ±14 V power supply	dB	166
Set sensitivity @ 250 Hz (±3 dB)	mV/Pa	1,6
Coupler volume	mm ³	1260 @ 500 Hz
Resonance frequency	kHz	13.5
Temperature range, operation	°C / °F	-30 to 60 / -22 to 140
Temperature coefficient @250 Hz	dB/°C / dB/°F	-0.01 / -0.006
Humidity range non condensing	% RH	0 to 75
ANSI standard		S3.7
IEC standard		60318-4 (former 60711)
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes
Connector type		Microdot 10/32
Weight	g / oz	1550 / 54.675



1. RA0404 10 kHz IEC 60318-4 10 kHz 50 kHz

□□

GRAS RA0404	()
GRAS 26CB	¼
GRAS RA0001	
GRAS RA0052	
GRAS GR0435	
GRAS GR0436	
GRAS GR0437	
GRAS GR0438	
GRAS GR0440	
GRAS GR0433	
GRAS GR0434	
GRAS MI0070	0.2 m

□□

GRAS 12AK	
GRAS 42AA	

□□

GRAS RA0196	()
-----------------------------	-----

GRAS Sound & Vibration

GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION
Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.GRASacoustics.com
gras@grasacoustics.com

USA

GRAS SOUND & VIBRATION
9290 SW Nimbus Avenue
Beaverton, OR 97008
Tel: 503-627-0832
Toll Free: 800-231-7350
www.GRASacoustics.com
sales-usa@grasacoustics.com

UK

GRAS SOUND & VIBRATION
Unit 115, Gibson House,
Ermine Business Park, Huntingdon,
Cambridgeshire, PE29 6XU
Tel: +44 (0) 7762 584 202
www.GRASacoustics.com
sales-uk@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION
Room 315, RuiBo Center(T1)
Lane683, Shenhong Rd,
Minhang District,
Shanghai, China, 201107
Tel: +86 21 64203370
www.GRASacoustics.cn
cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require. GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

grasacoustics.com

GRAS
An Axiometrix Solutions Brand