

GRAS 12BC 12BF 12BD LEMO TEDS 12BC, 12BF AND 12BD



Connection: LEMO
Traditional 200 V
Channel(s): 1, 2 or 4
TEDS via USB

GRAS 12BC 12BF 12BD
AC

LEMO TEDS USB


GRAS 12BC 12BF 12BD USB LEMO
TEDS


TEDS Audio Precision APx

PC TEDS

12BC	12BF	12BD	USB	1.5 A
USB-C	1.5 A		USB-C	USB 2.0
3.0	AUXPWR	AC		

Frequency response (± 0.06 dB) (with 100 k load)	Hz	10 to 20
Frequency response (± 0.03 dB) (with 100 k load)	Hz	20 - 200k
Inherent noise, input shorted, 10 Hz - 20kHz	μVrms	2
Overload indication		No
Temperature operation	$^{\circ}\text{C}$ / $^{\circ}\text{F}$	-40 to +75 / -40 to 167
Humidity (non-condensing)	%	max. 90
Dimension including mounting ears (WxHxD)	mm / "	108 x 44.2 x 178.3 / 4.35 x 1.74 x 7.02
Channels, 12BC		1
Channels, 12BF		2
Channels, 12BD		4
Polarization voltage	V	200
Preamplifier Supply Voltage	Vdc	+/-15
Max input Voltage	Vp	14
USB		C
USB Power + 5 Vdc	A	1.5
External Power Supply +5 Vdc	A	1.5
External Power Connector		DC (5.5mm x 2.1 mm barrel)
Weight 12BC, 1 Ch	g / oz	390 / 13.8
Weight 12BF, 2 Ch	g / oz	425 / 15.0
Weight 12BD, 4 Ch	g / oz	494 / 17.4





GRAS 12BC	1-Channel LEMO Power Module with USB Connection
GRAS 12BF	2-Channel LEMO Power Module with USB Connection
GRAS 12BD	4-Channel LEMO Power Module with USB Connection



-	USB
-	AC



7 LEMO

GRAS AA0008	LEMO 7-pin-LEMO 7-pin cable, 3 m
GRAS AA0009	LEMO 7-pin-LEMO 7-pin cable, 10 m
GRAS AA0012	LEMO 7-pin-LEMO 7-pin cable, 30 m
GRAS AA0014	LEMO 7-pin-LEMO 7-pin cable, 100 m
GRAS AA0020-XX	Custom, XX specifies the length in metres

BNC

GRAS AA0033	BNC-BNC cable, 1 meter
GRAS AA0034	BNC-BNC cable, 2 meters
GRAS AA0035	BNC-BNC cable, 3 meters

GRAS Worldwide

Subsidiaries and distributors in more
than 40 countries

HEAD OFFICE, DENMARK
GRAS SOUND & VIBRATION
Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.GRASacoustics.com
gras@grasacoustics.com

USA
GRAS SOUND & VIBRATION
9290 SW Nimbus Avenue
Beaverton, OR 97008
Tel: 503-627-0832
Toll Free: 800-231-7350
www.GRASacoustics.com
sales-usa@grasacoustics.com

UK
GRAS SOUND & VIBRATION
Unit 115, Gibson House,
Ermine Business Park, Huntingdon,
Cambridgeshire, PE29 6XU
Tel: +44 (0) 7762 584 202
www.GRASacoustics.com
sales-uk@grasacoustics.com

CHINA
GRAS SOUND & VIBRATION
Room 315, RuiBo Center(T1)
Lane683, Shenhong Rd,
Minhang District,
Shanghai, China, 201107
Tel: +86 21 64203370
www.GRASacoustics.cn
cnsales@grasacoustics.com



About GRAS Sound & Vibration

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones and related equipment for industries where acoustic measuring accuracy and repeatability are of the utmost importance. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, consumer electronics and other highly demanding industries. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect, trust and require.

GRAS Sound & Vibration is represented through subsidiaries and distributors in more than 40 countries and is part of Axiometrix Solutions, a leading test solutions provider comprised of globally recognized measurement brands. Read more at www.grasacoustics.com

grasacoustics.com

GRAS
An Axiometrix Solutions Brand